

Grumman Canoes.
Get There From Here.



Welcome to the Grumman

From backyard ponds to backwood runs, countless outdoorsmen have used Grumman Canoes.
 Since 1946, they've proven their mettle in the wild while r

Tough as nails. Designed to last and perform, every Grumman® Canoe is hand-crafted from a special age-hardened, stretch-formed aluminum alloy substantially stronger than traditional alloys. • Each Grumman Canoe is hand riveted with specially-designed T-6 Alumilite rivets for maximum strength along gunnels, keels and ribs. The stretch-forming process permanently shapes the curves designed into the bow, stern and sides for maximum strength. • For added rigidity and unbeatable strength, Grumman Canoes use die-formed aluminum ribs and thwarts, and solid aluminum extruded gunnels.

Exterior Color Options

Hunter Green

Insignia Blue

Burgundy

Black



Built to last.

All models feature .060 aluminum deck caps and .080 stemcaps with special T-6 alumilite finish rivets for top strength. A special sealant ensures long lasting watertightness.

The Grumman Canoe Is A Canoe for Every Occa

18' Double-Ender

Extruded T-6
Gunnel

13' Double-Ender

Embossed "G"
Bulkhead

Stretch-
Formed Hull

Stretch-Formed
.080 Stemcap

Enclosed Floataion
Compartment

17' Double-Ender

Extruded
Thwarts

Acrylic
Non-Skid
Floor Coating

17' Square Stern

Heavy Duty
Transom
Gusset

Optional Olive
Drab Paint

Double-Enders. Back to Basics.

Whether you're out tackling a rushing stream or a glass-calm lake, a first timer or professional outfitter, a Grumman versatile double-ender is the right choice. Its wide beam and low profile gives stability and reduced wind resistance. And the double-ender is available in various standard weight models, 13 to 18 feet. A 17 ft. 5 rib version is built specifically for camps and outfitters. Choose standard or shallow draft keels built to meet the needs of flat water canoeists or whitewater challengers.

Square Sterns. For Added Power.

Designed for outboard power, all square stern canoes feature a transom gusset of tough .125" aluminum, motor pads to secure outboards and ribs for added stiffness. All except the G-1650CS have spray rails to keep you dry. Stability is a top priority for the Grumman square stern, available in 16, 17 and 19 foot lengths. The first choice of many professional guides and outfitters, the Grumman 19-footer has 12 ribs and a "Bulb T" keel for extra strength. It's designed to carry up to 1100 lbs. and rated for up to 5 horsepower.

Double-End (or Standard)

The G-1850C is equally suited for hometown paddling or wilderness canoe trips and has a large carrying capacity of 840 lbs.

The Sportboat.

This versatile 3-in-1 "boat" can be paddled, rowed or outboard powered. An extra-wide beam and "Bulb T" keel gives it added steadiness and strength. Available in natural aluminum or painted olive drab finish.

12' 9" Solo

The Solo is easy to maneuver and glides efficiently with a single or double bladed paddle. Only 50 pounds, yet it has a generous carrying capacity.

Grumman Canoe Family.

Your adventures have been launched in Grumman Canoes.
Making it accessible to generations of outdoor enthusiasts.



*Grumman canoes limited lifetime warranty.**

As the original purchaser of a Grumman Canoe, you receive a limited lifetime warranty against hull puncture. And all components installed by Grumman are warranted against any defects in workmanship for five years from the date of purchase.

**See your Grumman Canoe dealer for specific warranty information.*

Family.
Casual.



16' Square Stern


Heat Treated
to a T-6 Temper



Premium Marine Grade Vinyl Decals

15' Double-Ender

Single Center
Seat




12' 9" Solo

Side Level Floatation
(Sportboat only)

Low Profile
Hull

Oar Lock Sockets
(Sportboat only)



Sportboat

Optional Olive
Drab Paint

Transom
Board



Spray Rail

19' Square Stern

Grumman Canoe Accessories



Motor Bracket. This side mount motor bracket fits all Grumman double-enders.



Carrying Yoke. Specially cushioned yoke fits all Grumman Canoes up to 37" in beam. Shown with opt. River Paddles, available in 4 1/2' and 5' lengths.



Row Rig. Easy-on, easy-off rig with oarlock sockets lets you row your Grumman Canoe. Fully Adjustable. Shown with opt. Canoeist Cushion. Oars not included.



Sponsons. Four and one half-foot foam sponsons clamp onto gunnels and provide added balance. Shown with opt. River Paddles and Canoeist Cushion.




Center Seat Kit. Tough .080" aluminum seat for solo paddling or carrying an extra passenger. Fits all Grumman Canoes with a 35" to 37" beam.



Canoe Topper Combo. This multi-purpose cartop carrier kit includes tie downs, sponge blocks to protect your canoe and car, and over-the-roof strap.

All Grumman Canoes meet or exceed all safety standards established by American Boat and Yacht Council (ABYC). Dimensions, capabilities, ratings and additional specifications plus complete warranty and service information are available from your dealer. All product illustrations and data within this catalog are based on information available at the time of publication. Hull weights are approximate. Due to publishing errors, on-going product modifications and/or component part availabilities, the manufacturer reserves the right to make changes without notice or obligation. You are advised to consult your local dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra costs.

Model	Length	Beam	Ribs	Center Depth	Keel	Max.Wt.Cap. lbs./Persons	Max. H.P.	Hull Wt. lbs./Gauge
Double-Ender								
G-129SOLO	12'9"	29 1/2"	2	13"	Standard	545/545	N/A	50/.050
G-1350C	13'	35 1/8"	3	12 7/8"	Standard	585/545	3	58/.050
G-1550C	15'	35 1/16"	3	12 1/8"	Standard	650/555	5	69/.050
G-1750C	17'	36 1/8"	3	13 1/8"	Standard	755/660	5	75/.050
G-1750CSK	17'	36 1/8"	7	13 1/8"	Shallow Draft	755/660	5	81/.050
G-1850C	18'	36 5/8"	5	13 1/8"	Standard	840/745	5	85/.050
Square Stern								
G-1650CS	15'7"	36 1/4"	3	13 1/4"	Standard	650/555	5	75/.050
G-1750CS	17'	36 5/8"	8	13 1/8"	Standard	825/730	5	85/.050
G-1950CS	19'	40 1/8"	12	14"	Bulb T	1100/1005	5	119/.050
Sportboat								
G-1550CSP	15'3"	43"	10	14"	Bulb T	450/355	7	122/.050



Maneuverability.

The shallow draft keel, with its matching inner keelson of rugged-strength extruded aluminum, is made for fast maneuvering through rock bottom whitewater rivers. The shallow draft keel is available on G-1750CSK double-enders.



Optimum Strength.

Formed .063" aluminum thwarts are secured to gunnels with marine grade stainless steel bolts. Close, precision riveting ties gunnels and skins together for superior strength.



Better Tracking.

The standard flat water keel is designed to make paddling easier and keep your canoe "on track." The special "Bulb T" keel on Grumman's 19 ft. Square Stern and Sportboat makes larger canoes stiffer and stronger. Both keels are made of tough, solid aluminum extrusions.

GRUMMAN® CANOES

One Grumman Way
P.O. Box 549

Marathon, NY 13803

Tel: 888-694-1285 • 607-849-3211

Fax: 607-428-0596

Grumman Canoes are manufactured

by Marathon® Boat Group, Inc.

www.marathonboat.com

GRUMMAN® IS A REGISTERED TRADEMARK OF THE NORTHROP GRUMMAN CORPORATION.